Author Index, Volume 18

Ahrens TJ → Sekine T
Amelinckx S → Van Heurck C
Amthauer G → Ghazi-Bayat B
Amthauer G → Kunz M
Andrault D, Poirier JP: Evolution of the Distortion of Perovskites Under Pressure: An EXAFS Study of $BaZrO_3$, $SrZrO_3$ and $CaGeO_3$ 91
Andrault D, Madon M, Itié JP, Fontaine A: Compression and Coordination Changes in Pyroxenoids: an EXAFS Study of $MgGeO_3$ Enstatite and $CaGeO_3$ Wollastonite 506
Angelov V → Rusanov V
Armbruster T → Kunz M
Bakker PMA de, Grave E de, Vandenberghe RE, Bowen LH, Pollard RJ, Persoons RM: Mössbauer Study of the Thermal Decomposition of Lepidocrocite and Characterization of the Decomposition Products 131
Barbier J → Hammond R
Behruzi M → Ghazi-Bayat B
Belitsky IA, Fursenko BA, Gabuda SP, Kholdeev OV, Seryotkin YuV: Structural Transformations in Natrolite and Edingtonite 497
Blanchard DL → Dickinson JT
Borutzky BE → Pol'shin EV
Bowen LH → Bakker PMA de
Brearley AJ, Rubie DC, Ito E: Mechanisms of the Transformations Between the α, β and γ Polymorphs of Mg_2SiO_4 at 15 GPa 343
Burgina EB → Kustova GN
Catlow CRA → Purton J
Chandrasekhar BK, White WB: Polarized Luminescence Spectra of Kunzite 433
Chen X → Tautz FS
Chopelas A, Hofmeister AM: Vibrational Spectroscopy of Aluminate Spinels at 1 atm and of $MgAl_2O_4$ to Over 200 kbar 279
Comodi P, Mellini M, Zanazzi PF: Magnesiochloritoid: Compressibility and High Pressure Structure Refinement 483
Daniels P, Gies H: NMR-Spectroscopy of Synthetic Potassium-Bearing Cordierites 383
De Grave E, Van Alboom A: Evaluation of Ferrous and Ferric Mössbauer Fractions 337
De Grave E → Bakker PMA de
Dickinson JT, Jensen LC, Langford SC, Rosenberg PE: Fracture-Induced Emission of Alkali Atoms from Feldspar 453
Dickinson JT, Jensen LC, Langford SC, Rosenberg PE, Blanchard DL: CO_2 Emission Accompanying the Fracture of Calcite 320
Dollase WA → O'Neill HStC
Dove MT → Tautz FS
Dove MT → Winkler B
Drury MR: Hydration-Induced Climb Dissociation of Dislocations in Naturally Deformed Mantle Olivine 106
Dupree R → Kohn SC
Durben DJ, Wolf GH, McMillan PF: Raman Scattering Study of the High-Temperature Vibrational Properties and Stability of $CaGeO_3$ Perovskite 215
Fei Y, Mao H-K, Shu J, Hu J: *P-V-T* Equation of State of Magnesiowüstite $(Mg_{0.6}Fe_{0.4})O$ 416
Fiquet G, Gillet P, Richet P: Anharmonicity and High-Temperature Heat Capacity of Crystals: the Examples of Ca_2GeO_4, Mg_2GeO_4 and $CaMgGeO_4$ Olivines 469
Fitz Gerald JD, Ringwood AE: High Pressure Rhombohedral Perovskite Phase $Ca_2AlSiO_{5.5}$ 40
Fontaine A → Andrault D
Fursenko BA → Belitsky IA
Gabuda SP → Belitsky IA
Ghazi-Bayat B, Behruzi M, Litterst FJ, Lottermoser W, Amthauer G: Crystallographic Phase Transition and Valence Fluctuation in Synthetic Mn-Bearing Ilvaite $CaFe^{2+}_{2-x}Mn^{2+}_xFe^{3+}[Si_2O_7/O/(OH)]$ 491
Gies H → Daniels P
Gillet Ph → Madon M
Gillet P → Fiquet G
Goyette RJ → Kunz M
Graham EK → Pacalo RE
Hammond R, Barbier J: Spinelloid Phases in the Nickel Gallosilicate System 184
Hanson DR, Young M, Ryerson FJ: Growth and Characterization of Synthetic Iron-Bearing Olivine 53
Heggie M → Purton J
Heine V → Marais S
Heine V → Padlewski S
Heine V → Tautz FS
Henderson CMB → Kohn SC
Hofmeister AM, Ito E: Thermodynamic Properties of $MgSiO_3$ Ilmenite from Vibrational Spectra 423
Hofmeister AM → Chopelas A
Hosoya S → Shannon RD
Hu J → Fei Y
International Mineralogical Association (IMA): 15th General Meeting, Beijing, China, June 28–July 3, 1990: Opening Ceremony/Council 1990–1994/ Constitution as of July 2, 1990 81
Itié JP → Andrault D
Ito E → Brearley AJ
Ito E → Hofmeister AM
Ito E → Ming LC
Jensen LC → Dickinson JT
Jones R → Purton J
Jordanov V → Rusanov V
Julien Ch → Madon M
Khisina NR, Langer K, Partzsch G: Effect of Fe^{3+}-Bearing Point Defects on the UV-Spectra of two Natural Olivines 514
Kholdeev OV → Belitsky IA
Khomenko V → Rager H
Kim YH → Ming LC
Kitamura M → Shimobayashi N
Klinowski J → Welch MD
Kohlstedt DL → Wanamaker BJ
Kohn SC, Dupree R, Mortuza MG, Henderson CMB: An NMR Study of Structure and Ordering in Synthetic $K_2MgSi_5O_{12}$, a Leucite Analogue 144
Kunz M, Armbruster T, Lager GA, Schultz AJ, Goyette RJ, Lottermoser W, Amthauer G: Fe, Ti Ordering and Octahedral Distortions in Acentric Neptunite: Temperature Dependent X-ray and Neutron Structure Refinements and Mössbauer Spectroscopy 199
Kurita K → Leinenweber K
Kustova GN, Burgina EB, Sadykov VA, Poryvaev SG: Vibrational Spectroscopic Investigation of the Goethite Thermal Decomposition Products 379
Lager GA → Kunz M
Langer K → Khisina NR
Langford SC → Dickinson JT
Lazarev AN, Mirgorodsky AP: Molecular Force Constants in Dynamical Model of α-Quartz. A Calculation of Phonon Spectrum, Elastic and Piezoelectric Properties 231
Leinenweber K, Utsumi W, Tsuchida Y, Yagi T, Kurita K: Unquenchable High-Pressure Perovskite Polymorphs of $MnSnO_3$ and $FeTiO_3$ 244
Liebermann RC → Liu X
Liebermann RC → Remsberg AR
Liebertz J → Webb SL
Lindsay CG, Tossell JA: Ab Initio Calculations of ^{17}O and ^nT NMR Parameters ($^nT = {}^{31}P$, ^{29}Si) in $H_3TO_7TH_3$ Dimers and T_3O_9 Trimeric Rings 191
Lin-gun Liu → Mernagh TP
Litterst FJ → Ghazi-Bayat B
Liu X, Wang Y, Liebermann RC, Maniar PD, Navrotsky A: Phase Transition in $CaGeO_3$ Perovskite: Evidence from X-ray Powder Diffraction, Thermal Expansion and Heat Capacity 224
Lottermoser W → Ghazi-Bayat B
Lottermoser W → Kunz M
Lutz HD, Müller B: Lattice Vibration Spectra. LXVIII. Single-Crystal Raman Spectra of Marcasite-type Iron Chalcogenides and Pnictides, FeX_2 (X = S, Se, Te; P, As, Sb) 265
Mackwell SJ → Nichols SJ
Madon M, Gillet Ph, Julien Ch, Price GD: A Vibrational Study of Phase Transitions Among the GeO_2 Polymorphs 7
Madon M → Andrault D
Manghnani MH → Ming LC
Maniar PD → Liu X
Mao H-K → Fei Y
Marais S, Salje E, Heine V: Kinetic Rate

Laws as Derived from Order Parameter Theory V: Computer Simulations of Ordering Processes Using a Soft Ising Model 180
Matsui M, Price GD: Computer Simulation of the $MgSiO_3$ Polymorphs 365
McMillan PF → Durben DJ
Mellini M → Comodi P
Mernagh TP, Lin-gun Liu: Raman Spectra from the Al_2SiO_5 Polymorphs at High Pressures and Room Temperature 126
Merwin LH, Sebald A, Rager H, Schneider H: ^{29}Si and ^{27}Al MAS NMR Spectroscopy of Mullite 47
Ming LC, Kim YH, Manghnani MH, Usha-Devi S, Ito E, Xie H-S: Back Transformation and Oxidation of $(Mg, Fe)_2SiO_4$ Spinels at High Temperatures 171
Mirgorodsky AP → Lazarev AN
Moon AR, Phillips MR: Titania Precipitation in Sapphire Containing Iron and Titanium 251
Mortuza MG → Kohn SC
Müller B → Lutz HD
Navrotsky A → Liu X
Nichols SJ, Mackwell SJ: Grain Growth in Porous Olivine Aggregates 269
Öberg S → Purton J
O'Neill HStC, Dollase WA, Ross CR II: Temperature Dependence of the Cation Distribution in Nickel Aluminate ($NiAl_2O_4$) Spinel: a Powder XRD Study 302
Ormandjiev S → Rusanov V
Pacalo RE, Graham EK: Pressure and Temperature Dependence of the Elastic Properties of Synthetic MnO 69
Padlewski S, Heine V, Price GD: Atomic Ordering Around the Oxygen Vacancies in Sillimanite. A Model for the Mullite Structure 373
Pankhurst QA → Pollard RJ
Partzsch G → Khisina NR
Persoons RM → Bakker PMA de
Phillips MR → Moon AR
Platonov AN → Pol'shin EV
Poirier JP → Andrault D
Pollard RJ, Pankhurst QA, Zientek P: Magnetism in Aluminous Goethite 259
Pollard RJ → Bakker PMA de
Pol'shin EV, Platonov AN, Borutzky BE, Taran MN, Rastsvetaeva RK: Optical and Mössbauer Study of Minerals of the Eudialyte Group 117
Poryvaev SG → Kustova GN
Price GD → Madon M
Price GD → Matsui M
Price GD → Padlewski S
Purton J, Jones R, Heggie M, Öberg S, Catlow CRA: LDF Pseudopotential Calculations of the α-Quartz Structure and Hydrogarnet Defect 389
Rager H: Electron Paramagnetic Resonance Study of Iron (III) and Manganese (II) in the Glassy and Crystalline Environments of Synthetic Fayalite and Tephroite: A Comment 534
Rager H, Taran M, Khomenko V: Polarized Optical Absorption Spectra of Synthetic Chromium Doped Mg_2SiO_4 (Forsterite) 37
Rager H → Merwin LH
Rastsvetaeva RK → Pol'shin EV
Redfern SAT, Salje E: Microscopic Dynamic and Macroscopic Thermodynamic Character of the $I\bar{1}-P\bar{1}$ Phase Transition in Anorthite 526
Remsberg AR, Liebermann RC: A Study of the Polymorphic Transformations in Co_2SiO_4 161
Reynard B: Single-Crystal Infrared Reflectivity of Pure Mg_2SiO_4 Forsterite and $(Mg_{0.86}, Fe_{0.14})_2SiO_4$ Olivine. New Data and a Reappraisal 19
Richet P → Fiquet G
Ringwood AE → Fitz Gerald JD
Rocha J → Welch MD
Rosenberg PE → Dickinson JT
Ross II CR → O'Neill HStC
Ross II CR → Webb SL
Rossman GR → Shannon RD
Rossman GR → Skogby H
Rubie DC → Brearley AJ
Rusanov V, Angelov V, Jordanov V, Ormandjiev S: Qualitative and Quantitative Determination of the Iron-Bearing Phases in Deep Sea-Nodules by Mössbauer Spectroscopy 517
Ryerson FJ → Hanson DR
Sadykov VA → Kustova GN
Salje E → Marais S
Salje E → Redfern SAT
Saxena SK → Shi P
Schneider H → Merwin LH
Schultz AJ → Kunz M
Sebald A → Merwin LH
Sekine T, Ahrens TJ: Shock-Induced Transformations in the System $NaAlSiO_4-SiO_2$: a new Interpretation 359
Seryotkin YuV → Belitsky IA
Shannon RD, Subramanian MA, Hosoya S, Rossman GR: Dielectric Constants of Tephroite, Fayalite and Olivine and the Oxide Additivity Rule 1
Shi P, Saxena SK, Sundman B: Sublattice Solid Solution Model and its Application to Orthopyroxene $(Mg, Fe)_2Si_2O_6$ 393
Shimobayashi N, Kitamura M: Phase Transition in Ca-poor Clinopyroxenes. A High Temperature Transmission Electron Microscopic Study 153
Shu J → Fei Y
Skogby H, Rossman GR: The Intensity of Amphibole OH Bands in the Infrared Absorption Spectrum 64
Subramanian MA → Shannon RD
Sundman B → Shi P
Taran MN → Pol'shin EV
Taran M → Rager H
Tautz FS, Heine V, Dove MT, Chen X: Rigid Unit Modes in the Molecular Dynamics Simulation of Quartz and the Incommensurate Phase Transition 326
Tossell JA → Lindsay CG
Tsuchida Y → Leinenweber K
Usha-Devi S → Ming LC
Utsumi W → Leinenweber K
Van Alboom A → De Grave E
Van Heurck C, Van Tendeloo G, Amelinckx S: The Modulated Structure in the Melilite $Ca_2ZnGe_2O_7$ 441
Van Tendeloo G → Van Heurck C
Vandenberghe RE → Bakker PMA de
Wanamaker BJ, Kohlstedt DL: The Effect of Melt Composition on the Wetting Angle Between Silicate Melts and Olivine 26
Wang Y → Liu X
Webb SL, Ross CR II, Liebertz J: Thermal Expansion and Spontaneous Strain Associated with the Normal-Incommensurate Phase Transition in Melilites 522
Weidner DJ → Zhao Y
Welch MD, Rocha J, Klinowski J: Characterization of Polysomatism in Biopyriboles: Double-/Triple-Chain Lamellar Intergrowths 460
White WB → Chandrasekhar BK
Winkler B, Dove MT: Thermodynamic Properties of $MgSiO_3$ Perovskite Derived from Large Scale Molecular Dynamics Simulations 407
Wolf GH → Durben DJ
Xie H-S → Ming LC
Yagi T → Leinenweber K
Young M → Hanson DR
Zanazzi PF → Comodi P
Zhao Y, Weidner DJ: Thermal Expansion of $SrZrO_3$ and $BaZrO_3$ Perovskites 294
Zientek P → Pollard RJ

Subject Index, Volume 18

All mineral names occurring in titles, subtitles and abstracts are indexed Chemical formulae are according to M. Fleischer, Glossary of Mineral Species, 1983 (in some cases simplified) or as given by the author. The numbers refer to the title page.

A

Akermanit $Ca_2MgSi_2O_7$ 522
Albite $NaAlSi_3O_8$ 359
Amphibole group, cummingtonite 64
– –, ferroactinolite 64
– –, cummingtonite 64
– –, infrared spectra: OH-band intensities 64
– –, tremolite 64
Andalusite Al_2SiO_5, high pressure Raman spectra 126
Anorthite $CaAl_2Si_2O_8$, $I\bar{1}$-$P\bar{1}$ phase transition 526

B

$BaZrO_3$, perovskite type: X-ray spectra 91
Biopyriboles, lamellar intergrowth of double- and triple chain – 460

C

Calcite $CaCO_3$, evolution of CO_2 on fracture 320
$Ca_2AlSiO_{5.5}$, high pressure perovskite-type phase 40
$CaGeO_3$, perovskite-type: X-ray spectra 91
Cation distribution, cf. order-disorder 302
Charge transfer, cf. electronic charge transfer 491
Clinoenstatite $Mg_2Si_2O_6$, cf. pyroxene group 153, 365
Compressibility, magnesiochloritoid 483
Computer simulation, ordering process in an Ising model 180
Cordierite $Mg_2Al_4Si_5O_{18}$, nuclear magnetic resonance (NMR) 383
Corundum α-Al_2O_3, rutile precipitation in Fe–Ti containing 251
Co_2SiO_4, $\alpha-\beta$ phase transition in 161
Crystal growth, iron bearing olivine 53
– –, in olivine aggregates 269
Cummingtonite $(Mg, Fe^{2+})_7Si_8O_{22}(OH)_2$, cf. amphibole group 64

D

Defects, dislocations in deformed mantle olivine 106
–, in olivine and oxygen fugacity 514
–, oxygen in mullite and order-disorder 373
Dielectric properties, fayalite, olivine, tephroite 1

E

Edingtonite $BaAl_2Si_3O_{10} \cdot 4\,H_2O$ 497
Elastic properties, α-quartz, calculated from molecular force constants 231
– –, MnO: pressure-temperature dependence 69
Electronic charge transfer, Mn-bearing ilvaite 491
Electron microscopy, and $\alpha-\beta-\gamma$ phase transitions of Mg_2SiO_4 343
– –, biopyriboles with lamellar intergrowth 460
– –, clinoenstatite, pidgeonite: phase transition in 153
– –, modulated structure in $Ca_2ZnGe_2O_7$ melilite 441
– –, rutile precipitation in Fe–Ti containing corundum 251
Electron paramagnetic resonance (EPR), Fe^{3+} and Mn^{2+} in fayalite and tephroite 534
Equation of state, magnesiowustite $(Mg_{0.6}Fe_{0.4})O$ 416
Eudialite $Na_4(Ca, Ce)_4(Fe^{2+}, Mn^{2+}, Y)ZrSi_8O_{22}(OH, Cl)_2$ 117

F

Fayalite Fe_2SiO_4, cf. olivine group 1, 53, 534
Feldspar group, emission of alkali and H_2O on fracture 453
Ferro-actinolite $Ca_2(Fe^{2+}, Mg)_5Si_8O_{22}(OH)_2$, cf. amphibole group 64
Fluid inclusions, in feldspars and emission on fracture 453
Forsterite Mg_2SiO_4, cf. olivine group 53
– –, infrared reflection spectra of 19
– –, optical absorption spectra of chromium doped 37
Fracture, of calcite: emission of CO_2 on 320
–, of feldspars: emission of alkali and H_2O 453

G

Garnet group, $MgSiO_3$ garnet 365
GeO_2, phase transitions, vibrational study of 7
Goethite $\alpha-Fe^{3+}O(OH)$, magnetic properties of aluminous 259
– –, vibrational spectra and thermal decomposition of 383
Grunerite $(Fe^{2+}, Mg)_7Si_8O_{22}(OH)_2$, cf. amphibole group 64

H

Hardystonite $Ca_2ZnSi_2O_7$ 522
Hematite $\alpha-Fe_2O_3$ 131
High pressure, $\alpha-\beta$ phase transition in Co_2SiO_4 161
– –, $Ca_2AlSiO_{5.5}$ perovskite phase 40
– –, garnet type $MgSiO_3$ 365
– –, mechanism of $\alpha-\beta-\gamma-Mg_2SiO_4$ phase transitions 343
– –, phase transitions in GeO_2 7
– –, phase transitions in $MgSiO_3$: molecular dynamics simulation 365
– –, Raman spectra of Al_2SiO_5-polymorphs 126
– –, unquenchable $MnSnO_3$ and $FeTiO_3$ perovskites 244
– –, vibrational spectra of spinel $MgAl_2O_4$ 279
– –, X-ray spectra of perovskite-type phases 91
Hollandite-type $NaAlSi_3O_8$ 359
Hydroxyl groups, quartz 389

I

Ilmenite-type $MgSiO_3$ 365
– – –, thermodynamic properties of 423
Ilvaite $CaFe_2^{2+}Fe^{3+}Si_2O_7O(OH)$, phase transition in Mn–bearing 491
Infrared reflection spectra, forsterite and olivine 19
Infrared spectra, amphibole OH-bands 64
– –, and phase transition in anorthite 526

J

Jadeite $NaAlSi_2O_6$, cf. pyroxene group 359

K

Kinetics, rate laws of ordering 180
Kunzite, cf. spodumene 433
Kyanite, Al_2SiO_5, high pressure Raman spectra 126

L

Landau theory, kinetics of ordering in an Ising model 180
– –, phase transition in anorthie 526
Leucite type $K_2MgSi_5O_{12}$, ordering in by nuclear magnetic resonance 144
Lepidocrocite $\gamma-Fe^{3+}O(OH)$, thermal decomposition 131
Luminescence, spodumene (var. kunzite) 433

M

Maghemite $\gamma-Fe_2O_3$ 131
Magnesiochloritoid $MgAl_2SiO_5(OH)_2$, structure and compressibility 483
Magnesiowustite, $(Fe_{0.6}Mg_{0.4})O$, equation of state 416
Magnetic properties, goethite, aluminous 259
Marcasite type, iron chalcogenides and pnictides, vibrational spectra of 265
Mass spectroscopy, time resolved of CO_2 on calcite fracture 320
Melilite type, $Ca_2ZnGe_2O_7$, modulated structure of 441
– –, thermal expansion 526
$MgSiO_3$, ilmenite type, thermodynamic properties of 423
–, clinoenstatite/garnet/ilmenite/perovskite/stishovite-transitions, molecular dynamic simulations of 365
$(Mg,Fe)_2SiO_4$, $\gamma-\alpha$ phase transition and oxidation of 171

Melts, composition of, and wetting of olivine 26
MnO, elastic properties of, pressure-temperature dependence of 69
Modulated structure, of melilite type $Ca_2ZnGe_2O_7$ 441
Molecular dynamics, rigid unit modes in $\alpha-\beta$ quartz transition 326
– –, simulation of $MgSiO_3$ phase transitions 365
– –, thermodynamic properties of $MgSiO_3$ perovskite from 407
Mullite $Al_6Si_2O_{13}$ 373
– –, nuclear magnetic resonance (Al, Si) 373

N

Natrolite $Na_2Al_2Si_3O_{10}\cdot 2H_2O$ 497
Nepheline $NaAlSiO_4$ 359
Neptunite $KNa_2Li(Fe^{2+}, Mn^{2+})_2Ti_2Si_8O_{24}$, Fe–Ti ordering in 199
Nickel aluminate, spinel-type, cation distribution in 302
– gallat – silicate system, spinelloid phases in 184
Nuclear gamma ray resonance (NGR), eudialites 117
– – – – –, Fe^{2+}, Fe^{3+} fractions by 337
– – – – –, of iron bearing phases in deap sea nodules 517
– – – – –, and magnetic properties of aluminous goethite 259
– – – – –, and thermal decomposition of lepidocrocite 131
Nuclear magnetic resonance (NMR), intergrown biopyriboles (Si) 460
– – – –, potassium bearing cordierites 383
– – – –, mullite (Al, Si) 47
– – – –, ordering in a leucite type $K_2MgSi_5O_{12}$ 144
– – – –, parameters of O, P, Si in tetrahedral dimers and trimer rings from quantum mechanical calculations 191

O

Olivine group, composition of melts and wetting of olivine crystals 26
– –, crystal growth in olivine aggregates 269
– –, – – of iron bearing 53
– –, dielectric constants, oxide additivity rule 1
– –, dislocations in deformed mantle olivine 106
– –, fayalite 1, 534
– –, infrared reflection spectra 19
– –, point defects and oxygene fugacity 514
– –, thermodynamic properties of olivine type germanates 469
– –, tephroite 1
Optical absorption spectra, chromium doped forsterite 37
– – –, eudialites 117
– – –, and point defects in olivine 514
Order-disorder, $NiAl_2O_4$ spinel 302
– –, Al/Si in mullite, sillimanite 373

P

Perovskite type, $BaZrO_3$, $SrZrO_3$, $CaGeO_3$, X-ray spectra under pressure 91
– –, $CaGeO_3$, phase transition in 224
– –, –, vibrational spectra and stability 215
– –, high pressure $MnSeO_3$ and $FeTiO_3$ 244
– –, – – $Ca_2AlSiO_{5.5}$ 40
– –, – – $MgSiO_3$ 365
– –, – – –, thermodynamic properties from molecular dynamics 407
– –, $SrZrO_3$, $BaZrO_3$, thermal expansion 294
Phase transition, $\alpha-\beta-\gamma$ of Mg_2SiO_4, mechanism of 343
– –, $\alpha-\beta$ in Co_2SiO_4 161
– –, $\gamma-\alpha$ and oxidation of $(Mg, Fe)_2SiO_4$ 171
– –, GeO_2 at high pressures and temperatures 7
– –, in anorthite 526
– –, in clinoenstatite 153
– –, in edingtonite and natrolite 497
– –, in Mn-bearing ilvaite 491
– –, incommensurate $\alpha-\beta$ quartz 326
– –, $MgSiO_3$ at high pressures and temperatures, molecular dynamics simulation of 365
– –, normal-incommensurate in melilite 522
– –, perovskite type $CaGeO_3$ 224
– –, pidgeonite 153
Pidgeonite $(Mg, Fe^{2+}, Ca)(Mg, Fe^{2+})Si_2O_6$, cf. pyroxene group 153
Piezoelectricity, α-quartz, calculated from molecular force constants 231
Phonon spectra, α-quartz, calculated from molecular force constants 231
Pyroxenoid group, $CaGeO_3$ wollastonite type, X-ray spectra of 506
Pyroxene group, jadeite 359
– –, $Mg_2Ge_2O_6$ enstatite type, X-ray spectra of 506
– –, phase transition in clinoenstatite and pidgeonite by electron microscopy 153
– –, spodumene 433
– –, sublattice model for orthopyroxene solid solutions 393

Q

Quantum mechanics, calculation of α-quartz and hydrogarnet defect in 389
– –, caculation of O, P, Si-NMR parameters 191
Quartz SiO_2, $\alpha-\beta$ phase transition, rigid unit modes in molecular dynamics of 326
– –, molecular force constants of α- and calculated phonon spectrum, elasticity and piezo-electricity 231
– –, quantum mechanical calculation of α-quartz and hydrogarnet defect therein 389

R

Raman spectra, at high pressures, of Al_2SiO_5 polymorphs 126
– –, at high temperatures and stability of $CaGeO_3$ perovskite 215
– –, and thermodynamic properties of germanate olivines 469

S

Sapphire, cf. corundum 251
Shock effects, in system $NaAlSiO_4-SiO_2$ 359
Sillimanite Al_2SiO_5, high pressure Raman spectra 126
– –, oxygen vacancies, atomic ordering around 373
Solid solution thermodynamics, sublattice model for orthopyroxenes 393
Spinel $MgAl_2O_4$, high pressure vibrational spectra 279
Spinel group, cation distribution in $NiAl_2O_4$ 302
– –, vibrational spectra of aluminate spinels 279
Spinelloids, $NiGa_2O_4-Ni_2SiO_4$ 184
Spodumene $LiAlSi_2O_6$, luminescence spectra of kunzite 433
$SrZrO_3$, perovskite-type, X-ray spectra of 91
structure, magnesiochloritoid 483

T

Tephroite Mn_2SiO_4, cf. olivine group 1, 534
Thermal expansion, of melilites on normal-incommensurate transition 522
– –, – perovskite type $SrZrO_3$, $BaZrO_3$ 294
Thermodynamic properties, of ilmenite type $MgSiO_3$ 423
– –, – olivine type germanates 469
– –, – orthopyroxene solid solutions 393
– –, – perovskite type $CaGeO_3$, phase transition 224
– –, – – – $MgSiO_3$, from molecular dynamics 407
– –, phase transition in anorthite 526
Tremolite $Ca_2Mg_5Si_8O_{22}(OH)_2$, cf. amphibole group 64

V

Vibrational spectra, GeO_2 polymorphs at high pressures and thermodynamic properties 7
– –, goethite thermal decomposition 379
– –, high pressure of Al_2SiO_5 polymorphs 126
– –, high temperature, perovskite type $CaGeO_3$ 215
– –, marcasite type iron chalcogenides and pnictides 265
– –, OH groups in amphiboles 64
– –, thermodynamic properties of ilmenite type $MgSiO_3$ from 423

X

X-ray spectra, $MgGeO_3$ pyroxene and $CaGeO_3$ pyroxenoide 506

Y

Z

Zeolite, edingtonite 498
–, natrolite 498